5.REFERENCES:-

1.Qian. W., Shichi H. (2001). Naphthoquinone-Induced Cataract in Mice: Possible Involvement of Ca^{2+} Release and Calpain Activation. *Journal of Ocular Pharmacology and Therapeutics,* **17 (4)**, 383–392.

2. Morgan, G.T. and Kdrew, H.D. (1920)**.** Researches on residual affinity and co-ordination. Part II. Acetylacetones of selenium and tellurium, *J. Chem. Soc*, **117,** 1456.

3.Walton, H.F.(1952)**.** Electron donor atom Principles and methods of Chemical Analysis. *Prentice Hall*, Ed 1985.

4. Godyeki L.E. and Rundle R.E. (1953). The structure of nickel Dimethylglyoxime. *Act Cryst*. **6** , 487.

5.Fox, B.B, Halland J. R. and Plowman R.A. (1962). Coordination Compounds of Substituted 1,10-Phenanthrolines and Related Dipyridyls. II. Complexes of Iron and 2,9-Dimethyl-1,10-phenanthroline. *Australian J. Chem.* **15(2)**, 235-241.

6. Werner. A. (1920). Complex formation Natural Anschaugenl. *vieweg Brauncheveg*, ed 4th, 1-23.

7. Lewis, G.N.(1916). The atom and the molecule. *J. Amber. Chem. Soc.*,**38**, 762

8. Langmuir, I. (1919).The arrangement of electrons in atoms and molecules. *J. amer, Chem. Soc.*, **41**, 868.

9. Sidgwick, N. V. (1923). The nature of the non-polar link. *J. Chem Soc,* **19**, 469-475.

10. Stephen, W.I. (1977). Historical survey of the uses of organic compounds as reagents in analytical chemistry. *Analyst*, **102**, 793.

11. Burgess, *J.* (1978)**.** Metal Ions in Solution. *Wiley, New York,*. Ed 4th.

12. Inczedy, *J.* (1976). Coordination complex in equilibrium mixture solution. *Analytical Application of Complex, **23(2)**, 234-243.*

13. Revista B.C.(2004). Antimicrobial activity of 1,4-naphthoquinones by metal complexation. *Brazilian Journal of Pharmaceutical Science,**40(1).***450-461.

14. Niculescu.B.C. Haviva E, Smadar P.C. and Eduard Sionov.(2012). Novel 2,3-disubstituted1,4-naphthoquinone derivatives and their metal complexes – Synthesis and in vitro cytotoxic effect against mouse fibrosarcoma.*Research in Pharmacy*,***23*****(4)**, 14-19.

15.Yasmine M.K, Das J.R. and Williams.B.V. (2009). Biological Evaluation of 2,3-Dichloro-5,8-Dimethoxy-1,4-Naphthoquinone as an Anti-breast cancer agent.*Anticancer Research,*. **29,** 191-199.

16. Riffel A. (2002). Invitro antimicrobial activity of a new series of 1,4-Naphthoquinones. *Brazilian Journal of Medical and Biological Research*, **35(7)**, 811-818.

17. Pawar A.B. (2012). X-ray diffraction, spectral and antimicrobial activity of bivalent metal (Zn, Cd, Hg, Pb, & Sn) chelates of 2-hydroxy 1,4-naphthoquinone. *International Journal of Chem Tech Research*, **4(3)**, 882-890.

18. Brandelli A. (2004). Antimicrobial activity of 1,4-naphthoquinones by metal complexation. *Brazilian Journal of Pharmaceutical Sciences*, **40(2)**, 247-253.

19 Upadhyay.B., Dhaker A.K., Singh K.P. and Kumar A.. (2010). Phytochemical Analysis and influence of edaphic factors on Lawsone content of Lawsonia inermisl. *Journal of Phytology*, **2(6)**, 47-54.

20. Gokhale Nikhil, Padhye Subhash, Chris Newton and Robin. (2000). Hydroxynaphthoquinone metal complexes as antitumour agents X: Synthesis, structure, spectroscopy and invitro antitumour activity of 3-methyl-phenylazo lawsone derivatives and their metal complexes. *cancer cell line*, **12(3)**,5-9.

.21. Affan M.A.,, Dayang Norafiza, and Fashihuddin. B. (2010). Synthesis, characterization and Biological activities of Organotin(IV) complexes with vitamin K3-2-hydrazino pyridine; X-ray crystal structure of vitamin K3-2-hydrazinopyridine. *Research Journal of P'ceutical Biological & Chemical Sciences*, **1(4)**, 158-172.

22. Pawar A.B., Bamane S.R., Jadhav K.D., and Sarawadakar R.G.. (2012). Spectral, Thermal, X-ray diffraction and antimicrobial studies of some bivalent metal chelates of Juglone, *Journal of Current Chemical and P,ceutical Sciences*, **2(4)**, 277-290.

23. Pawar A.B, Sarawadekar R.G., Jadhav K.D., Kadam S.S.. (2012). Thermal, X-ray diffraction, Spectral and antimicrobial activity of bivalent metal (Zn, Cd., Hg, Pb. & Sn) Chelates of 2-Hydroxy-1,4-Naphthoquinone-1-oxime. *Journal of Pharmacy and Biological Sciences*, **3(3)**, 1-8.

24. Fedorov S.N., Shubina L.K., Kuzmich A.S. and Polonik S.G.. (2011). Antileukemic properties and structure-Activity relationship of O & S Glycosylated derivatives of Juglone and related 1,4-Napththoquinone. *Open Glycoscience*, **4(1)**, 1-5.

25.Bastikar Virupaksha, Gupte Alpana, Khadke Prasant, Deshpande Uday, Desidv Alessandro. (2013). Analysis of Naphthoquinone derivatives as topoisomerase I inhibits using fragment based QSAR. *Journal of Cheminformatics*, **5**, 22-30.

26.Nadjib Mohammed Rahmoun,Zahia Boucharit and Ali Mohummud.(2013). Antimicrobial activities of Henna extract and some synthetic Naphthalene derivatives. *American Journal of Medical and Biological Research,* **1(1)**, 16-22.

27. Jadhav V.B., Gonewar N.R., Jadhav K.D. and Sarawadekr R.S.. (2011). Synthesis, spectral and Theoretical investigation on 1,2-naphthoquinone dioxime. *Research in Pharmacy,* **1(3)**, 1-9.

28. Bezerra D.P, Alves A.P, Alencar M.N. (2008). Antitumor activity of two derivatives from 2-acylamine-1,4-naphthoquinone in mice bearing S180 tumor. *Journal of Experimental Theorotical oncology*, **7(2)**, 113-121.

29. Chung Y.Shin YK, Zhan CG, Lee S. Cho H. (2004). Synthesis and evaluation of antitumor activity of 2-and 6-[(1,3-benzothozol-2-yl)aminomethyl]-5,8-dimethoxy-1,4-naphthoquinone derivatives. *Arch Pharma Research ,* **27(9)**, 899-900.

30. Durie PR. (1994). Vitamin K and the management of patients with cystic fibrosis.,*Asian journal of Clinical management,* **151(7)**, 933-6.

31. Kangkiat Triswwan and Nantaphon Khamthond. (2010). Anthraquinone, cyclopentanone and Naphthoquinone derivatives form the Sea fan derived Fungi Fusarium spp. PSU-F14 and PSU-F135. *Journal of Natural Products,* **73(9)**, 1507-1511.

32. Kaixu, Zhiyan,Zhiyan Xiao, Yan Bo Tong, and Chin-Ho-chem. (2012). Design and synthesis of Naphthoquinone derivatives as antiproliferative agents and 20S proteasome inhibitors. *Bioorganic and Medicinal Chemistry Letters*, **22(8)**, 2772-2774.

33.Yani Hu, Zhihong Jiang, Kelvin Sze-Yin Leung, Zhongzhen Zhao. (2006). Simultaneous determination of Naphthoquinone derivatives in Boragineceous herbs by high performance liquid Chromatography. *Analytica Chimicia Acta*, **557(1)**, 26-31.

34. Elisa Perez-Sacau and Paquel G.D.(2007). Synthesis and pharmacophore modeling of Naphthaquinone derivative with cytotoxic activity in Human Promyelocytic Leukemia HL-60 cell line. *Journal of Medicinal Chemistry,* **50(4)**, 696-706.

35.Sandra Jimenez, Alonso dreng and Haydee Chaez.(2008). Design and synthesis of a noval series of Pyrononaphthoquinones as topoisomerase-II catalytic inhibitors. *Journal of Medicinal Chemistry*, **51(21)**, 6761-6772.

36. Ngampong Kangkathip, Suwaporn Luangkamin and Boonsong Kangkathip. (2004). Synthesis of novel Rhinacanthins and related Anticancer Naphthoquinone esters. *Journal of Medicinal Chemistry*, **47(18)**, 4427-4438.

37. Jin Dy, Tie Jk, Stafford Dw. (2007). The Conversion of Vitamin K epoxide to Vitamin K quinine and Vitamin K quinine to vitamin K hydroquinone uses the same active site cysteines, *Biochemistgry,* **46(24)**, 7279-7283.

38. Thiboldeausx RL, Lindroth RL, Tracy JW. (1998). Comperhensive Biochemal Physiologyc.Pharmacol. *Toxicol Endocronol*. **120(3)**, 488-497.

39. Peter Babula,Radka Mikelova and Vojtech Adam. (2006). Using of Liquid Chromatograpy coupled with diode array detectors for determination of naphthboquinone in plant and for investigation of influence dionaco muscipula. *Journal of Chromatography*, **11**, 28-35.

40. Antonio Ventura Pinto and Solange Lisboa de castro. (2009). The Trypanocidal activity of Naphthoquinone. *Molecules,* **14,** 4570-4590.

41. Ball M.D., Bartlett M.S., Shaw M., Smith J.W., Nasir M. and Meshnick S.P. (2001). Activities and conformation Fitting of 1,4-Naphthoquinone derivatives and other cyclic 1,4-diones, tested in vitro against pneumocyustis carinii. *Antimicrobial agents and Chemotherapy*, **45(5)**, 1473-1479.

42.Ausra Voskiene, Birute Sapijanskite and Vytauts Mickovcius. (2012). Synthesis and microbiological evaluation opf new 2-and 2,3-diphenoysubstiuted Naphthalene-1,4-dioxane with 5-Diphenoxysubstituted Naphthalene-1,4-diones with new 2-and 2,3-Diphenoxy substituted Naphthalene-1,4-diones with 5-oxypyrrolidine moieties. *Molecules,* **17**, 14434-14448.

43. Spyros Spyroudis. (2000). Hydroxyquinones: synthesis and reactivity. *Molecules,* **5**, 1291-1330.

44. Singh M .W., Karmarkar Anirban, Baruah Nilotpal and Baruah J.B.. (2007). Variations in product in reactions of Naphthoquinone with primary amines. *Beilstein Journal of Organic Chemistry,* **3(10)**, 1-6.

45. Jeyachandran R., Mahesh A., Cindrella L, Sudhakar S. and Pazhanichamy K. (2009). Antibacterial activity of Plumbagin and Root extracts of Plambago Zeylanica L. *Acta Biologicl Cracoviensia series Botanica*, **51(1)**, 17-22.